

# BFG Fungi Walk at Stampwell Farm 21-Oct-2023

| Species                    | English name(          | Substrate        | Association        | Any firsts?       | Coll. | Id. | Conf | Notes                                        |
|----------------------------|------------------------|------------------|--------------------|-------------------|-------|-----|------|----------------------------------------------|
| <i>Basidiomycota</i>       |                        |                  |                    |                   |       |     |      |                                              |
| Agaricus campestris        | Field Mushroom         | Grassy area      |                    |                   | PC    | PC  |      |                                              |
| Agrocybe rivulosa          | Wrinkled Fieldcap      | Woodchips        | Deciduous          |                   | JE    | JE  |      |                                              |
| Amanita citrina            | False Death Cap        | Soil under tree  | Birch              |                   | LD    | PC  |      |                                              |
| Amanita muscaria           | Fly Agaric             | Soil under tree  | Birch              |                   | DS    | PC  |      |                                              |
| Amanita rubescens          | Blusher                | Soil under tree  | Mixed deciduous    |                   | LD    | PC  |      |                                              |
| Armillaria mellea          | Honey Fungus           | Grassy path edge | Deciduous          |                   | PC    | PC  |      |                                              |
| Auricularia auricula-judae | Jelly Ear              | Fallen branch    | Indeterminate wood | First site record | LD    | PC  |      |                                              |
| Bolbitius titubans         | Yellow Fieldcap        | Grassy area      |                    |                   | LD    | PC  |      |                                              |
| Boletus edulis             | Penny Bun              | Soil under tree  | Mixed deciduous    |                   | LD    | PC  |      |                                              |
| Clathrus archeri           | Devil's Fingers        | Grassy area      |                    |                   | DS    | JE  |      | egg stage only                               |
| Clavulina coralloides      | Crested Coral          | Litter / soil    | Deciduous          | First site record | CW    | PC  |      |                                              |
| Clavulinopsis helvola      | Yellow Club            | Grassy path edge |                    |                   | JE    | JE  |      |                                              |
| Clitocybe odora            | Aniseed Funnel         | Grassy path edge |                    |                   | LD    | PC  |      |                                              |
| Clitocybe phaeophthalma    | Chicken Run Funnel     | Grassy path edge |                    |                   | JE    | JE  |      |                                              |
| Clitopilus prunulus        | The Miller             | Grassy area      |                    |                   | JL2   | JL2 |      |                                              |
| Conocybe echinata          |                        | Grassy area      |                    | First site record | PC    | PC  |      | keyed in Funga Nordica. Dried for sequencing |
| Coprinopsis lagopus        | Hare'sfoot Inkcap      | soil in grass    |                    |                   | CS3   | PC  |      |                                              |
| Cortinarius decipiens      | Sepia Webcap           | Soil under tree  | Mixed deciduous    | First site record | JL2   | JL2 |      |                                              |
| Crepidotus cesatii         | Roundspored Oysterling | stick            | Deciduous          |                   | CS    | PC  |      |                                              |
| Cuphophyllus virgineus     | Snowy Waxcap           | Grassy area      |                    |                   | JE    | JE  |      | previously in genus Hygrocybe                |
| Entoloma papillatum        | Papillate Pinkgill     | Grassy path edge |                    | First site record | JL2   | JL2 |      |                                              |
| Entoloma porphyrophaeum    | Lilac Pinkgill         | Grassy path edge |                    |                   | JE    | JL2 |      |                                              |
| Entoloma prunuloides       | Mealy Pinkgill         | Grassy area      |                    |                   | JE    | J2  |      |                                              |
| Entoloma sericellum        | Cream Pinkgill         | Grassy area      |                    | First site record | JE    | JE  |      |                                              |
| Entoloma sericeum          | Silky Pinkgill         | Grassy area      |                    | First site record | JL2   | JL2 |      |                                              |
| Exidia nucleata            | Crystal Brain          | stick            | Oak                |                   | JL2   | JL2 |      |                                              |
| Galerina marginata         | Funeral Bell           | Fallen branch    | Deciduous          | First site record | JL2   | JL2 |      |                                              |
| Ganoderma applanatum       | Artist's Bracket       | Stump            | Deciduous          | First site record | LD    | PC  |      |                                              |
| Gliophorus laetus          | Heath Waxcap           | Grassy area      |                    |                   | JE    | JE  |      | previously in genus Hygrocybe                |
| Gliophorus psittacinus     | Parrot Waxcap          | Grassy area      |                    |                   | DS    | JE  |      | previously in genus Hygrocybe                |
| Gymnopilus penetrans       | Common Rustgill        | Fallen branch    | Deciduous          | First site record | AD    | JL2 |      |                                              |
| Gymnopus dryophilus        | Russet Toughshank      | Litter / soil    | Deciduous          |                   | PC    | PC  |      |                                              |
| Gymnopus fusipes           | Spindle Toughshank     | Litter / soil    | Deciduous          |                   | PC    | PC  |      |                                              |
| Gymnopus peronatus         | Wood Woollyfoot        | Litter / soil    | Deciduous          | First site record | PC    | PC  |      |                                              |
| Hebeloma aestivale         |                        | Soil under tree  | Beech              | First site record | JL    | PC  |      |                                              |
| Hebeloma sacchariolens     | Sweet Poisonpie        | Soil under tree  | Deciduous          |                   | PC    | PC  |      |                                              |
| Hygrocybe ceracea          | Butter Waxcap          | Grassy path edge |                    |                   | PC    | PC  |      |                                              |
| Hygrocybe chlorophana      | Golden Waxcap          | Grassy area      |                    |                   | JE    | JE  |      |                                              |

|                                            |                              |                  |                     |                   |     |                                          |                                   |
|--------------------------------------------|------------------------------|------------------|---------------------|-------------------|-----|------------------------------------------|-----------------------------------|
| <i>Hygrocybe conica</i>                    | Blackening Waxcap            | Grassy area      |                     | PC                | PC  |                                          |                                   |
| <i>Hygrocybe insipida</i>                  | Spangle Waxcap               | Grassy area      |                     | JE                | JE  |                                          |                                   |
| <i>Hygrocybe intermedia</i>                | Fibrous Waxcap               | Grassy area      | First county record | JE                | JE  | PC                                       |                                   |
| <i>Hygrocybe miniata</i>                   | Vermilion Waxcap             | Grassy area      |                     | JE                | JL2 |                                          |                                   |
| <i>Hymenopellis radicata</i>               | Rooting Shank                | Litter / soil    | Deciduous           | First site record | MAH | PC                                       | previously in genus <i>Xerula</i> |
| <i>Hypholoma fasciculare</i>               | Sulphur Tuft                 | Grassy area      | submerged wood      | JE                | JE  |                                          |                                   |
| <i>Inosperma cookei</i>                    | Straw Fibrecap               | Soil under tree  | Mixed deciduous     | JL2               | PC  | previously in genus <i>Inocybe</i>       |                                   |
| <i>Laccaria amethystina</i>                | Amethyst Deceiver            | Litter / soil    | Deciduous           | LD                | PC  |                                          |                                   |
| <i>Laccaria laccata</i>                    | Deceiver                     | Litter / soil    | Deciduous           | LD                | PC  |                                          |                                   |
| <i>Lactarius glyciosmus</i>                | Coconut Milkcap              | Soil under tree  | Birch               | First site record | JL2 | JL2                                      |                                   |
| <i>Lactarius quietus</i>                   | Oakbug Milkcap               | Soil under tree  | Oak                 | JE                | JE  |                                          |                                   |
| <i>Lactarius tabidus</i>                   | Birch Milkcap                | Soil under tree  | Birch               | JL2               | PC  |                                          |                                   |
| <i>Lepiota cristata</i>                    | Stinking Dapperling          | Grassy path edge |                     | JE                | JE  |                                          |                                   |
| <i>Lycoperdon perlatum</i>                 | Common Puffball              | Litter / soil    | Deciduous           | DS                | PC  |                                          |                                   |
| <i>Lycoperdon pratense</i>                 | Meadow Puffball              | Grassy path edge |                     | PC                | PC  | previously in genus <i>Vascellum</i>     |                                   |
| <i>Lyophyllum decastes</i>                 | Clustered Domecap            | Grassy path edge |                     | PC                | PC  |                                          |                                   |
| <i>Macrolepiota konradii</i>               |                              | Grassy path edge | Deciduous           | First site record | JE  | PC                                       |                                   |
| <i>Mucidula mucida</i>                     | Porcelain Fungus             | Fallen branch    | Beech               | CW                | PC  | previously in genus <i>Oudemansiella</i> |                                   |
| <i>Mycena acicula</i>                      | Orange Bonnet                | Litter / soil    | Deciduous           | First site record | LD  | PC                                       |                                   |
| <i>Mycena aetites</i>                      | Drab Bonnet                  | Grassy area      |                     | LD                | PC  |                                          |                                   |
| <i>Mycena arcangeliana</i>                 | Angel's Bonnet               | Fallen branch    | Deciduous           | PC                | PC  |                                          |                                   |
| <i>Mycena crocata</i>                      | Saffrondrop Bonnet           | Fallen branch    | Beech               | CW                | PC  |                                          |                                   |
| <i>Mycena flavoalba</i>                    | Ivory Bonnet                 | Grassy area      |                     | JE                | PC  |                                          |                                   |
| <i>Mycena galericulata</i>                 | Common Bonnet                | Stump            | Deciduous           | LD                | PC  |                                          |                                   |
| <i>Mycena haematopus</i>                   | Burgundydrop Bonnet          | Fallen branch    | Deciduous           | First site record | JL2 | JL2                                      |                                   |
| <i>Mycena inclinata</i>                    | Clustered Bonnet             | Fallen branch    | Deciduous           | LS                | PC  |                                          |                                   |
| <i>Mycena leptcephala</i>                  | Nitrous Bonnet               | Grassy area      |                     | First site record | JE  | PC                                       |                                   |
| <i>Mycena olivaceomarginata</i>            | Brownedge Bonnet             | Grassy area      |                     | LS                | PC  |                                          |                                   |
| <i>Mycena pura</i>                         | Lilac Bonnet                 | Grassy path edge | Deciduous           | PC                | PC  |                                          |                                   |
| <i>Mycena rosea</i>                        | Rosy Bonnet                  | Litter / soil    | Deciduous           | LD                | PC  |                                          |                                   |
| <i>Mycena speirea</i>                      | Bark Bonnet                  | mossy wood       | Deciduous           | JE                | PC  |                                          |                                   |
| <i>Paralepista flaccida</i>                | Tawny Funnel                 | Litter / soil    | Deciduous           | JL2               | PC  | previously in genus <i>Clitocybe</i>     |                                   |
| <i>Paxillus involutus</i>                  | Brown Rollrim                | Soil under tree  | Deciduous           | LD                | LD  |                                          |                                   |
| <i>Phellinus pomaceus</i>                  | Cushion Bracket              | trunk            | Plum                | JC                | JC  | PC                                       |                                   |
| <i>Pluteus cervinus</i>                    | Deer Shield                  | Fallen branch    | Deciduous           | First site record | LS  | PC                                       |                                   |
| <i>Psathyrella corrugis</i>                | Red Edge Brittlestem         | Grassy area      | Deciduous           | First site record | JL2 | PC                                       |                                   |
| <i>Psilocybe semilanceata</i>              | Magic Mushroom / Liberty Cap | Grassy path edge |                     | JL2               | JL2 |                                          |                                   |
| <i>Rhodocollybia butyracea</i>             | Butter Cap                   | Litter / soil    | Deciduous           | LS                | PC  |                                          |                                   |
| <i>Rickenella fibula</i>                   | Orange Mossicap              | Moss             |                     | CS                | PC  |                                          |                                   |
| <i>Russula betularum</i>                   | Birch Brittlepill            | Grassy path edge | Birch               | PC                | PC  |                                          |                                   |
| <i>Russula fellea</i>                      | Geranium Brittlepill         | Soil under tree  | Beech               | LD                | PC  |                                          |                                   |
| <i>Russula grisea</i>                      | False Charcoal Burner        | Soil under tree  | Beech               | First site record | LD  | PC                                       |                                   |
| <i>Russula heterophylla forma virginea</i> | Greasy Green Brittlepill     | Soil under tree  | Oak and Hornbeam    | First site record | PC  | PC                                       | caps were virtually white         |
| <i>Russula ionochlora</i>                  | Oilslick Brittlepill         | Soil under tree  | Beech               | CW                | JL2 | PC                                       |                                   |

|                         |                          |                  |                    |                   |    |     |    |                             |
|-------------------------|--------------------------|------------------|--------------------|-------------------|----|-----|----|-----------------------------|
| Russula nigricans       | Blackening Brittlegill   | Soil under tree  | Beech              |                   | JE | PC  |    |                             |
| Russula ochroleuca      | Ochre Brittlegill        | Soil under tree  | Mixed deciduous    |                   | JW | PC  |    |                             |
| Russula odorata         |                          | soil in grass    | Oak                | First site record | JE | PC  |    |                             |
| Russula parazurea       | Powdery Brittlegill      | Soil under tree  | Oak                | First site record | CW | PC  |    |                             |
| Russula vesca           | The Flirt                | Soil under tree  | Beech              | First site record | PC | PC  |    |                             |
| Scleroderma bovista     | Potato Earthball         | Grassy area      | Deciduous          | First site record | PC | PC  |    |                             |
| Scleroderma citrinum    | Common Earthball         | Soil under tree  | Oak                | First site record | PC | PC  |    |                             |
| Stereum rugosum         | Bleeding Broadleaf Crust | on wood          | Indeterminate wood | First site record | JW | JW  |    |                             |
| Stropharia caerulea     | Blue Roundhead           | Grassy area      |                    |                   | LD | PC  |    |                             |
| Suillus grevillei       | Larch Bolete             | Soil under tree  | Larch              |                   | JE | JL2 |    |                             |
| Tephrocybe rancida      | Rancid Greyling          | Grassy path edge | Deciduous          |                   | RD | PC  |    |                             |
| Tremella mesenterica    | Yellow Brain             | stick            | Oak                |                   | JC | PC  |    |                             |
| Tricholoma sulphureum   | Sulphur Knight           | Soil under tree  | Oak                | First site record | LD | PC  |    |                             |
| Xerocomellus porosporus | Sepia Bolete             | Soil under tree  | Mixed deciduous    | First site record | PC | JL2 | PC | previously in genus Boletus |

### *Ascomycota*

|                         |              |                  |            |                   |     |    |    |  |
|-------------------------|--------------|------------------|------------|-------------------|-----|----|----|--|
| Hypomyces chrysospermus | Bolete Mould | rotten fungus    | Boletus sp |                   | CS  | PC |    |  |
| Leotia lubrica          | Jellybaby    | Grassy path edge | Deciduous  | First site record | CW  | CW | PC |  |
| Nectria cinnabarina     | Coral Spot   | stick            | Deciduous  | First site record | CS  | PC |    |  |
| Peziza micropus         |              | Woodchips        | Deciduous  | First site record | JL2 | PC |    |  |

### *Myxomycota*

|                    |             |              |           |                   |    |    |  |  |
|--------------------|-------------|--------------|-----------|-------------------|----|----|--|--|
| Lycogala terrestre | Wolf's Milk | lump of wood | Deciduous | First site record | JL | PC |  |  |
|--------------------|-------------|--------------|-----------|-------------------|----|----|--|--|

*Record count for site: 101*

AD= Alison Donnelly, CS= Caroline Speechley, CW= Claire Williams, DS= Daniel Speechley, JC= Julia Carey, JE= Jackie Ewan, JL= Justin Long, JL2= Jesper Launder, JW= Jim Wills, LD= Lisa Dodd, LS= Linda Seward, MAH= Mary-Anne Hall, PC= Penny Cullington, RD= Richard Donnelly