

# BFG Fungi Walk at Stoke Common 17-Nov-2024

| Species                     | English name         | Substrate              | Association        | Any firsts?         | Coll. | Id. | Conf | Notes |
|-----------------------------|----------------------|------------------------|--------------------|---------------------|-------|-----|------|-------|
| <i>Basidiomycota</i>        |                      |                        |                    |                     |       |     |      |       |
| Amanita excelsa var. spissa | Grey Spotted Amanita | Soil under tree        | Mixed deciduous    |                     | GE    | SJE |      |       |
| Amanita fulva               | Tawny Grisette       | Soil under tree        | Birch              |                     | JL    | JL  |      |       |
| Amanita muscaria            | Fly Agaric           | Soil under tree        | Birch              |                     | MT    | MT  |      |       |
| Amanita rubescens           | Blusher              | Soil under tree        | Deciduous          |                     | JL    | JL  |      |       |
| Athelia neuhoffii           |                      | on rotten wood         | Indeterminate wood | First county record | DJS   | CVS |      |       |
| Baeospora myosura           | Conifercone Cap      | woody litter and cones | Pine               |                     | GE    | PC  |      |       |
| Bjerkandera adusta          | Smoky Bracket        | Fallen branch          | Indeterminate wood |                     | MH    | PC  |      |       |
| Botryobasidium vagum        | Rambling Crust       | decayed log            | Pine               | First site record   | CVS   | CVS |      |       |
| Bulbillomyces farinosus     | Couscous Crust       | wet stick              | Deciduous          |                     | DJS   | DJS |      |       |
| Calocera viscosa            | Yellow Stagshorn     | on wood                | Conifer            |                     | LD    | PC  |      |       |
| Clavaria acuta              | Pointed Club         | Grassy area            |                    | First site record   | JL    | JL  |      |       |
| Clavulinopsis helvola       | Yellow Club          | Grassy area            |                    | First site record   | JL    | JL  |      |       |
| Clavulinopsis luteoalba     | Apricot Club         | Grassy area            |                    | First site record   | JL    | PC  |      |       |
| Coprinopsis picacea         | Magpie Inkcap        | Soil under tree        | Oak                | First site record   | PC    | PC  |      |       |
| Coprinopsis stercorea       | Dung Inkcap          | Dung                   | Cow                | First site record   |       | DJS |      |       |
| Cortinarius semisanguineus  | Surprise Webcap      | Soil under tree        | Pine               |                     | BW    | MT  |      |       |
| Crepidotus variabilis       | Variable Oysterling  | twig                   | Indeterminate wood |                     | LD    | DJS |      |       |
| Cuphophyllus virgineus      | Snowy Waxcap         | Grassy area            |                    |                     | JL    | JL  |      |       |
| Fomitopsis betulina         | Birch Polypore       | Fallen branch          | Birch              |                     | CW    | PC  |      |       |
| Galerina cephalotricha      |                      | Burnt ground           |                    |                     | SP    | JL  |      |       |
| Galerina mniophila          |                      | Grassy area            |                    |                     | YH    | JL  |      |       |
| Gliophorus laetus           | Heath Waxcap         | Grassy area            |                    |                     | JL    | JL  |      |       |
| Gliophorus psittacinus      | Parrot Waxcap        | Grassy area            |                    | First site record   | JL    | JL  |      |       |
| Gymnopilus junonius         | Spectacular Rustgill | Soil under tree        | Pine               |                     | PC    | PC  | MT   |       |
| Gymnopilus penetrans        | Common Rustgill      | on wood                | Pine               |                     | CW    | MT  |      |       |
| Gymnopus androsaceus        | Horsehair Parachute  | Litter / soil          | Pine               | First site record   | DJS   | DJS |      | CVS   |
| Hebeloma birrus             |                      | Soil under tree        | Indeterminate wood |                     |       | PC  |      |       |
| Hygrocybe miniata           | Vermilion Waxcap     | Grassy area            |                    |                     | YH    | SJE |      |       |
| Hygrocybe reidii            | Honey Waxcap         | Grassy area            |                    |                     | MT    | PC  |      |       |
| Hygrophorus hypothejus      | Herald of Winter     | Soil under tree        | Pine               |                     | YH    | PC  |      |       |
| Hymenochaete rubiginosa     | Oak Curtain Crust    | Fallen branch          | Oak                |                     | JL    | JL  |      |       |
| Hyphodontia alutaria        |                      | decayed log            | Pine               | First site record   | CVS   | CVS |      |       |
| Hypholoma elongatum         | Sphagnum Brownie     | Grassy area            | SJE                |                     |       | PC  |      |       |
| Hypholoma ericaeoides       |                      | Grassy area            |                    |                     | PC    | PC  |      |       |
| Hypholoma fasciculare       | Sulphur Tuft         | on wood                | Indeterminate wood |                     | LD    | PC  |      |       |
| Imleria badia               | Bay Bolete           | Soil under tree        | Pine and Birch     |                     | BW    | PC  |      |       |

|   |                           |                     |                    |                   |     |     |   |
|---|---------------------------|---------------------|--------------------|-------------------|-----|-----|---|
| <i>Inocybe assimilata</i>               |                           | Soil under tree     | Mixed deciduous    | First site record | YH  | PC  |   |
| <i>Inocybe lacera</i>                   | Torn Fibrecap             | Soil under tree     | Birch              |                   | LD  | PC  |   |
| <i>Laccaria amethystina</i>             | Amethyst Deceiver         | Litter / soil       | Deciduous          |                   | LD  | PC  |   |
| <i>Laccaria laccata</i>                 | Deceiver                  | Litter / soil       | Mixed deciduous    |                   | CW  | PC  |   |
| <i>Laccaria proxima</i>                 | Scurfy Deceiver           | soil in grassy area |                    |                   |     | DJS |   |
| <i>Lactarius helvus</i>                 | Fenugreek Milkcap         | Soil under tree     | Pine               |                   | LD  | PC  |   |
| <i>Lactarius hepaticus</i>              | Liver Milkcap             | Soil under tree     | Pine               |                   | BW  | PC  | CVS   |
| <i>Lactarius quietus</i>                | Oakbug Milkcap            | Soil under tree     | Oak                |                   | JL  | JL  |   |
| <i>Lactarius vietus</i>                 | Grey Milkcap              | Soil under tree     | Birch              |                   | JW  | MT  |   |
| <i>Leccinum cyaneobasileucum</i>        | Greyshank Bolete          | Soil under tree     | Birch              |                   | JW  | MT  | CVS   |
| <i>Lentinus brumalis</i>                | Winter Polypore           | on wood             | Indeterminate wood |                   | TG  | PC  |   |
| <i>Lenzites betulinus</i>               | Birch Mazegill            | on wood             | Birch              |                   | CVS | CVS |   |
| <i>Leucogyrophana mollusca</i>          |                           | on wood             | Indeterminate wood |                   | SJE | SJE | CVS   |
| <i>Mycena abramsii</i>                  |                           | woody debris        | Oak                | First site record | JL  | JL  |   |
| <i>Mycena arcangeliana</i>              | Angel's Bonnet            | Fallen branch       | Deciduous          |                   | JL  | JL  |   |
| <i>Mycena epipterygia</i>               | Yellowleg Bonnet          | grassy litter       |                    |                   | JW  | PC  |   |
| <i>Mycena filopes</i>                   | Iodine Bonnet             | Litter / soil       |                    |                   | CW  | PC  |   |
| <i>Mycena galericulata</i>              | Common Bonnet             | submerged wood      | Indeterminate wood |                   | PC  | PC  |   |
| <i>Mycena galopus</i> var. <i>nigra</i> | Black Milking Bonnet      | Grassy area         |                    |                   | SJE | SJE |   |
| <i>Mycena olida</i>                     | Rancid Bonnet             | on wood             | Oak                |                   | GE  | PC  |   |
| <i>Mycena olivaceomarginata</i>         | Brownedge Bonnet          | Grassy area         |                    | First site record | DJS | PC  |   |
| <i>Mycena smithiana</i>                 | Pink Oakleaf Bonnet       | dead leaf           | Oak                | First site record | LD  | PC  |   |
| <i>Mycena speirea</i>                   | Bark Bonnet               | Litter / soil       | Indeterminate wood | First site record | SP  | PC  |   |
| <i>Panaeolus acuminatus</i>             | Dewdrop Mottlegill        | Soil under tree     |                    |                   | PD  | PC  |   |
| <i>Panaeolus papilionaceus</i>          | Petticoat Mottlegill      | on dung             | Cow                |                   | PD  | PC  |   |
| <i>Paxillus involutus</i>               | Brown Rollrim             | Soil under tree     | Mixed deciduous    |                   | LD  | PC  |   |
| <i>Phlebia tremellosa</i>               | Jelly Rot                 | Fallen branch       | Indeterminate wood |                   | MH  | PC  |   |
| <i>Plicatura crispa</i>                 | Crimped Gill              | stick               | Birch              |                   | GE  | PC  |   |
| <i>Pluteus hongoi</i>                   |                           | on wood             | Birch              | First site record | CW  | SJE | clamps absent, cystidia having a majority of bifurcate tips |
| <i>Postia caesia</i>                    | Conifer Blueing Bracket   | Fallen branch       | Pine               |                   | SP  | SP  |   |
| <i>Postia tephroleuca</i>               | Greyling Bracket          | Fallen branch       | Birch              |                   | CVS | CVS |   |
| <i>Psathyrella piluliformis</i>         | Common Stump Brittlestem  | on submerged wood   | Indeterminate wood |                   | YH  | JL  |   |
| <i>Rhodocollybia butyracea</i>          | Butter Cap                | Litter / soil       | Mixed deciduous    |                   | GE  | PC  |   |
| <i>Rickenella fibula</i>                | Orange Moss-cap           | Moss                |                    |                   | LD  | PC  | MT  |
| <i>Russula aquosa</i>                   | Red Swamp Brittle-gill    | Soil under tree     | Mixed deciduous    |                   | JW  | MT  |   |
| <i>Russula atropurpurea</i>             | Purple Brittle-gill       | Soil under tree     | Mixed deciduous    |                   | JW  | PC  | MT  |
| <i>Russula betularum</i>                | Birch Brittle-gill        | Soil under tree     | Birch              |                   | PD  | PC  | MT  |
| <i>Russula brunneoviolacea</i>          |                           | Soil under tree     | indeterminate      | First site record | MH  | MT  |   |
| <i>Russula claroflava</i>               | Yellow Swamp Brittle-gill | Soil under tree     | Birch              |                   | JW  | PC  | MT  |
| <i>Russula emetica</i>                  | Sickener                  | Soil under tree     | Pine               |                   | AD  | PC  |   |
| <i>Russula fragilis</i>                 | Fragile Brittle-gill      | Soil under tree     | Oak                |                   | LD  | PC  | MT3   |
| <i>Russula nitida</i>                   | Purple Swamp Brittle-gill | Soil under tree     | Birch              |                   | MT  | MT  |   |
| <i>Russula velenovskyi</i>              | Coral Brittle-gill        | Soil under tree     | Mixed deciduous    |                   | JW  | MT  |   |
| <i>Schizophyllum commune</i>            | Common Porecrust          | on wood             | Indeterminate wood |                   | TG  | PC  |   |

|                         |                     |                 |                    |     |     |                                 |
|-------------------------|---------------------|-----------------|--------------------|-----|-----|---------------------------------|
| Schizopora paradoxa     | Split Porecrust     | Fallen branch   | Oak                | CVS | CVS |                                 |
| Scleroderma verrucosum  | Scaly Earthball     | Soil under tree | Deciduous          | LD  | PC  | MT                              |
| Steccherinum ochraceum  |                     | on wood         | Indeterminate wood | SP  | CVS |                                 |
| Stereum hirsutum        | Hairy Curtain Crust | Fallen branch   | Indeterminate wood | YH  | PC  |                                 |
| Suillus bovinus         | Bovine Bolete       | Soil under tree | Pine               | GE  | PC  |                                 |
| Suillus luteus          | Slippery Jack       | Soil under tree | Pine               | LD  | PC  |                                 |
| Suillus variegatus      | Velvet Bolete       | Soil under tree | Pine               | RC  | MT  | JL                              |
| Trametes hirsuta        | Hairy Bracket       | on wood         | Indeterminate wood |     | CVS |                                 |
| Trametes versicolor     | Turkeytail          | Fallen branch   | Indeterminate wood | JW  | PC  |                                 |
| Trichaptum abietinum    | Purplepore Bracket  | Fallen branch   | Pine               | JL  | JL  |                                 |
| Tricholoma fulvum       | Birch Knight        | Soil under tree | Birch              | YH  | MT  |                                 |
| Tricholoma sulphureum   | Sulphur Knight      | Soil under tree | Oak                | PC  | PC  |                                 |
| Tricholomopsis rutilans | Plums and Custard   | on wood         | Pine               | CW  | PC  |                                 |
| Tubaria furfuracea      | Scurfy Twiglet      | Litter / soil   | Deciduous          | YH  | PC  |                                 |
| Tulosesus pellucidus    | Transparent Inkcap  | Dung            | Cow                | MT  | DJS | previously in genus Coprinellus |
| Xerocomellus pruinatus  | Matt Bolete         | Soil under tree | Deciduous          | KC  | MT  |                                 |

### *Ascomycota*

|                                   |                     |                        |                      |                     |     |     |   |
|-----------------------------------|---------------------|------------------------|----------------------|---------------------|-----|-----|---|
| Ascocoryne cf. inflata nom. prov. |                     | bare wood              | Indeterminate wood   | First county record | SJE | SJE | keyed with AscoFrance with all microcharacters fitting. |
| Ascocoryne cylichnium             | Budding Jellydisc   | on bare wood           | Indeterminate wood   |                     |     | PC  |   |
| Ascocoryne sarcoides              | Purple Jellydisc    | on wood                | Birch                |                     | CW  | PC  |   |
| Byssonectria terrestris           | Butterycups         | Dung                   | indeterminate        |                     | CW  | SJE |   |
| Cheilymenia coprinaria            |                     | Dung                   | Cow                  | First county record | YH  | SJE | DJS .   |
| Cheilymenia granulata             | Cowpat Gem          | Dung                   | Cow                  |                     | KC  | PC  |   |
| Cylindrium aeruginosum            |                     | dead leaf              | Oak                  | First site record   |     | SP  | .   |
| Hypomyces chrysospermus           | Bolete Mould        | on fungus              | unidentified bolete  |                     | JL  | JL  |   |
| Hypomyces rosellus                | Pink Polypore Mould | poroid fungus on Gorse | unidentified         |                     | SP  | SJE |   |
| Lachnum apalum                    | Rush Disco          | Dead stem              | Juncus               |                     | BW  | PC  | SJE   |
| Lachnum diminutum                 |                     | dead stem              | Juncus               |                     | SJE | SJE |   |
| Leotia lubrica                    | Jellybaby           | Litter / soil          | Mixed deciduous      |                     | LD  | PC  |   |
| Orbillia xanthostigma             | Common Glasscup     | on bare wood           | Deciduous            |                     | SJE | SJE |   |
| Stilbella byssiseda               |                     | on slime mould         | Cribraria argillacea |                     | BW  | BW  | .   |
| Xylaria hypoxylon                 | Candlesnuff Fungus  | Fallen branch          | Deciduous            |                     | JL  | JL  |   |

### *Zygomycetes*

|                   |              |               |           |                   |    |    |  |
|-------------------|--------------|---------------|-----------|-------------------|----|----|--|
| Spinellus fusiger | Bonnet Mould | on fungus cap | Mycena sp | First site record | JW | PC |  |
|-------------------|--------------|---------------|-----------|-------------------|----|----|--|

### *Myxomycota*

|                         |  |              |                    |  |    |    |  |
|-------------------------|--|--------------|--------------------|--|----|----|--|
| Ceratiomyxa fruticulosa |  | rotting wood | Indeterminate wood |  | BW | BW |  |
| Cribraria argillacea    |  | rotting log  | Pine               |  | BW | BW |  |

|                       |              |            |                     |    |    |
|-----------------------|--------------|------------|---------------------|----|----|
| Didymium clavus       | dead stem    | vegetation |                     | BW | BW |
| Didymium eximium      | rotting heap | Gorse      | First county record | BW | JM |
| Didymium squamulosum  | dead stem    | vegetation | First site record   | BW | BW |
| Physarum bivalve      | rotting heap | Gorse      | First site record   | BW | BW |
| Physarum cf. robustum | dead stem    | vegetation | First site record   | BW | BW |

*Record count for site:* 120

AD= Andrew Dodd, BW= Barry Webb, CVS= Claudi V. Soler, CW= Claire Williams, DJS= Derek Schafer, GE= Glyn Edwards,  
 JL= Jesper Launder, JW5= Justin Warhurst, KC= Kath Castillo, LD= Lisa Dodd, MH= Mark Harper, MT= Mario Tortelli,  
 PC= Penny Cullington, PD= Paul Devine, RC= Rosemary Clarke, SJE= Sarah-Jayne Ebdon, SP= Stephen Plummer,  
 TG= Tricia Graham, YH= Yen Hoe